# HILLYARD The Cleaning Resource\*

# **SAFETY DATA SHEET**

#### 1. Identification

Product identifier CONTENDER PART A

Other means of identification

SDS number 570N-42A
Product code HIL00279 Part A
Recommended use Gym Finish
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company nameHILLYARD INDUSTRIESAddress302 North Fourth St.

St. Joseph, MO 64501

Contact person Regulatory Affairs

**Telephone number** (816) 233-1321 (Ext. 8285)

**Fax** (816) 383-8485

**E-mail** regulatoryaffairs@hillyard.com

Emergency telephone # (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure,

or accident involving chemicals.)

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

**Prevention** Wash thoroughly after handling. Wear eye/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** Use With Adequate Ventilation. Use With Adequate Ventilation. Avoid breathing vapors or spray

mist. Open windows and doors, use exhaust fans or other means to insure fresh air entry during

application and drying. Do not take internally.

# 3. Composition/information on ingredients

**Mixtures** 

Material name: CONTENDER PART A

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol Methyl Ether		107-98-2	10 - < 20
Other components below reportable	e levels		80 - < 90

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Indication of immediate medical attention and special

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions** 

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: CONTENDER PART A SDS US

## 8. Exposure controls/personal protection

#### Occupational exposure limits

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value		
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	100 ppm		
,	TWA	50 ppm		
US. NIOSH: Pocket Guide to Che	US. NIOSH: Pocket Guide to Chemical Hazards			
Components	Type	Value		
Propylene Glycol Methyl Ether (CAS 107-98-2)	STEL	540 mg/m3		
,		150 ppm		
	TWA	360 mg/m3		
		100 ppm		

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US - California OELs: Skin designation

Propylene Glycol Methyl Ether (CAS 107-98-2) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Chemical splash goggles where there is a potential for eye contact. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Not normally required with adequate ventilation. If engineering controls do not maintain airborne Respiratory protection

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be

worn.

None known. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

**Appearance** Straw-colored liquid

**Physical state** Liquid. **Form** Liquid.

Color Straw colored Odor Ammonical odor **Odor threshold** Not available

3 - 5

Melting point/freezing point Not available 195 °F (90.56 °C) Initial boiling point and boiling

range

Tag Closed Cup None Flash point < 1 Ethyl ether = 1 **Evaporation rate** Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. 
 Vapor pressure
 17.4 mm Hg

 Vapor density
 0.9 AIR = 1

 Relative density
 1.04 at 77°F

Solubility(ies)

Solubility (water) appreciable

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

Other information

 Density
 8.66 lb/gal

 Percent volatile
 83 - 85 %

 VOC (Weight %)
 350 g/l

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong acids.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

## Information on toxicological effects

# **Acute toxicity**

Product	Species	Test Results
CONTENDER PART A		
Acute		
Dermal		
LD50	Rabbit	123.2368 g/kg estimated
Inhalation		
LC50	Rat	517.5944 mg/l, 4 Hours estimated
Oral		
LD50	Mouse	102.3813 g/kg estimated
	Rat	53.8373 g/kg estimated
Components	Species	Test Results
Propylene Glycol Methyl Etl	her (CAS 107-98-2)	
Acute		
Dermal		
LD50	Rabbit	13 g/kg

Components	Species	Test Results
Inhalation		
LC50	Guinea pig	15000 mg/l, 10 Hours
	Rat	54.6 mg/l, 4 Hours
Oral		
LD50	Dog	4.6 g/kg
	Mouse	10.8 g/kg
	Rabbit	5.3 g/kg
	Rat	5.71 g/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

**Chronic effects** 

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Pro

Prolonged inhalation may be harmful.

Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

## **US. Massachusetts RTK - Substance List**

Propylene Glycol Methyl Ether (CAS 107-98-2)

## US. New Jersey Worker and Community Right-to-Know Act

Propylene Glycol Methyl Ether (CAS 107-98-2)

# US. Pennsylvania Worker and Community Right-to-Know Law

Propylene Glycol Methyl Ether (CAS 107-98-2)

#### **US. Rhode Island RTK**

Not regulated.

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

01-22-2015 Issue date

Version # 01

**HMIS®** ratings Health: 2

Flammability: 0 Physical hazard: 0

Material name: CONTENDER PART A SDS US 6/7

#### **Disclaimer**

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

# HILLYARD The Cleaning Resource\*

# **SAFETY DATA SHEET**

## 1. Identification

Product identifier CONTENDER FINISH (PART B)

Other means of identification

SDS number 298N-01A

Product code HIL00279 PART B

Recommended use Gym Finish
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company nameHILLYARD INDUSTRIESAddress302 North Fourth St.

St. Joseph, MO 64501

Contact person Regulatory Affairs

**Telephone number** (816) 233-1321 (Ext. 8285)

**Fax** (816) 383-8485

E-mail regulatoryaffairs@hillyard.com

Emergency telephone # (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure,

or accident involving chemicals.)

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2B

Sensitization, skin Category 1B

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction. Causes eye irritation. Harmful to aquatic life.

**Precautionary statement** 

**Prevention** Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must

not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash

contaminated clothing before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Butyroactone		96-48-0	5 - < 10
Benzyl Alcohol		100-51-6	1 - < 3
Other components below reportable levels			90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

cause an allergic skin reaction. Dermatitis. Rash.

eczema or other skin disorders: Seek medical attention and take along these instructions.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Symptoms may be delayed.

Most important symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Indication of immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

**General information** 

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

protect themselves. Wash contaminated clothing before reuse.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or

supervisory personnel of all environmental releases.

# 7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueBenzyl Alcohol (CAS 100-51-6)TWA44.2 mg/m310 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide evewash station.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical splash goggles where there is a potential for eye contact.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Avoid contact with the skin. Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Appearance White emulsion

Physical stateLiquid.FormLiquid.ColorWhite

Odor Not available.
Odor threshold Not available
pH 7 - 8 Not available

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling

range

204 °F (95.56 °C)

Not available.

Flash point > 200.0 Tag Closed Cup
Evaporation rate < 1 Ethyl ether = 1

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Explosive limit - upper (%)Not available.Vapor pressure17.34 mm HgVapor density0.777 AIR=1Relative density1.073 at 77°F

Solubility(ies)

Solubility (water) Appreciable

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature Not available

Decomposition temperature Not available

Not available **Viscosity** 

Other information

**Density** 8.93 lb/gal

Combustible IIIB estimated Flammability class

50 - 52 % Percent volatile VOC (Weight %) 2.96 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Incompatible materials Contact with incompatible materials.

Hazardous decomposition

Strong oxidizing agents.

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

2000 mg/kg

200 - 300 mg/l, 8 Hours

cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Product	Species	Test Results
CONTENDER FINISH (PART E	3)	
Acute		
Dermal		
LD50	Guinea pig	83966.0547 mg/kg estimated
	Rabbit	83273.6953 mg/kg estimated
Inhalation		
LC100	Rat	8350.7305 mg/l, 8 Hours estimated
LC50	Rat	41753.6523 mg/l, 8 Hours estimated
		39.8988 mg/l, 4 Hours estimated
Oral		
LD50	Guinea pig	7440.4219 mg/kg estimated
	Mouse	14601.834 mg/kg estimated
		133.9884 ml/kg estimated
	Rabbit	80640.1406 mg/kg estimated
	Rat	15846.377 mg/kg estimated
Components	Species	Test Results
Benzyl Alcohol (CAS 100-51-6)		

Material name: CONTENDER FINISH (PART B)

Acute Dermal LD50

Inhalation LC100

Rabbit

Rat

HIL00279 PART B Version #: 01 Issue date: 01-22-2015

Components	Species	Test Results
LC50	Rat	1000 mg/l, 8 Hours
Oral		
LD50	Mouse	1580 mg/kg
	Rabbit	1940 mg/kg
	Rat	1230 - 3100 mg/kg
Butyroactone (CAS 96-48-0)		
Acute		
Dermal		
LD50	Guinea pig	5640 mg/kg
Inhalation		
LC50	Rat	> 2.68 mg/l, 4 Hours
Oral		
LD50	Guinea pig	500 mg/kg
	Mouse	1260 mg/kg
		9 ml/kg
	Rat	1540 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Butyroactone (CAS 96-48-0) 3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Prolonged inhalation may be harmful.

Chronic effects Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Product		Species	Test Results
CONTENDER FINIS	H (PART B)		
Aquatic			
Fish	LC50	Fish	6749.9009 mg/l, 96 hours estimated
Components		Species	Test Results
Benzyl Alcohol (CAS	3 100-51-6)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Benzyl Alcohol 1.1 Butyroactone -0.64

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

## 14. Transport information

DOT

Not regulated as dangerous goods.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

70 %WV Butyroactone (CAS 96-48-0)

Material name: CONTENDER FINISH (PART B)

## **DEA Exempt Chemical Mixtures Code Number**

Butyroactone (CAS 96-48-0) 2011

#### **US state regulations**

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Butyroactone (CAS 96-48-0)

## **US. Massachusetts RTK - Substance List**

Benzyl Alcohol (CAS 100-51-6)

## US. New Jersey Worker and Community Right-to-Know Act

# US. Pennsylvania Worker and Community Right-to-Know Law

Benzyl Alcohol (CAS 100-51-6)

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region Inventory name On inventory (yes/no)\*

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

01-22-2015 Issue date

Version # 01

**HMIS®** ratings Health: 2

> Flammability: 0 Physical hazard: 0

No representations or warranties, either express or implied, of merchantability, fitness for a Disclaimer

> particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

HIL00279 PART B Version #: 01 Issue date: 01-22-2015