

# SAFETY DATA SHEET

### 1. Identification

Product identifier CLEAN ACTION® II

Other means of identification

SDS number 576N-92A
Product code HIL00807
Recommended use Carpet Cleaner
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name HILLYARD INDUSTRIES

Address 302 North Fourth St.

St. Joseph, MO 64501

Contact person Regulatory Affairs

**Telephone number** (816) 233-1321 (Ext. 8285)

Fax (816) 383-8485

**E-mail** regulatoryaffairs@hillyard.com

**Emergency telephone #** (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or

accident involving chemicals)

## 2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsSerious eye damage/eye irritationCategory 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Combustible liquid. Causes serious eye irritation.

Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wear eye/face protection.

Wash thoroughly after handling.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:

Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Buyer assumes all risk and liability associated with disposal of this product (original concentration

or dilution) in violation of applicable law. Waste from normal use may be sewered to a

public-owned treatment works in compliance with applicable federal, state and local requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: CLEAN ACTION® II

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Propylene Glycol Propyl Ether		1569-01-3	3 - < 5
Alcohols (C12-15 In, Saturated) Ethoxylate		68131-39-5	1 - < 3
Sodium lauryl sulfate		151-21-3	1 - < 3
Tetrasodium ethylenediamine tetraacetate		64-02-8	< 0.2
Octamethylcyclotetrasiloxane		556-67-2	< 0.1
Other components below reportable	e levels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Not available.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

General information

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Specific methods General fire hazards

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Combustible liquid.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation, Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CLEAN ACTION® II SDS US

# Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	
Octamethylcyclotetrasiloxan e (CAS 556-67-2)	TWA	10 ppm	

Biological limit values

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Chemica

Chemical safety goggles when working with concentrate.

No biological exposure limits noted for the ingredient(s).

Skin protection

Hand protection Not normally needed.

Other Not normally needed.

**Respiratory protection**No personal respiratory protective equipment normally required. **Thermal hazards**Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

Appearance Slightly hazy Light green liquid

Physical state Liquid.
Form Liquid.
Color Light green

Odor Non-objectional odor

Odor threshold

pH

8.8 - 9.8

Melting point/freezing point

Initial boiling point and boiling

209 °F (98.33 °C)

range

Flash point 161.0 °F (71.7 °C) Tag Closed Cup

**Evaporation rate** < 1 (ethyl ether = 1)

Material name: CLEAN ACTION® II

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.46 mm Hg

Vapor density 0.8059 Air =1
Relative density 1.0016 at 77°F

Solubility(ies)

Solubility (water) Complete
Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

Other information

**Density** 8.34 lb/gal **Percent volatile** 96 - 97 %

VOC 5 % Concentrate

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

**Incompatible materials** Alkaline metals.

Hazardous decomposition

products

Nitrogen oxides (NOx).

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact May be irritating to the skin.

Eye contact Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause respiratory irritation.

#### Information on toxicological effects

**Acute toxicity** May cause respiratory irritation.

 Product
 Species
 Test Results

 CLEAN ACTION® II

<u>Acute</u> Dermal

LD50 Guinea pig 64935.0664 ml/kg estimated

Rabbit 1482.8184 ml/kg estimated 1405.7124 g/kg estimated

Inhalation

LC50 Mouse 51750 mg/l, 4 Hours estimated

50000 mg/l, 2 Hours estimated

Material name: CLEAN ACTION® II
HIL00807 Version #: 02 Revision date: 04-14-2016 Issue date: 09-10-2015

Product	Species	Test Results	
	Rat	27272.7422 mg/l, 0.5 Hours estimated	
		27272.7422 mg/l, 4 Hours estimated	
Oral			
LD50	Guinea pig	5194.8052 g/kg estimated	
	Mouse	8670.2578 g/kg estimated	
	Rat	1140.6753 ml/kg estimated	
		1058.7937 g/kg estimated	
Components	Species	Test Results	
Propylene Glycol Propyl E	ther (CAS 1569-01-3)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	4.29 ml/kg	
		3.55 g/kg	
Oral			
LD50	Rat	2.83 ml/kg	
		2.8 g/kg	
Sodium lauryl sulfate (CAS	S 151-21-3)		
<u>Acute</u>			
Oral			
LD50	Rat	1288 mg/kg	
Tetrasodium ethylenediam	nine tetraacetate (CAS 64-02-8)		
<u>Acute</u>			
Oral			
LD50	Rat	> 2000 mg/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not available.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ

toxicity - repeated

Not classified.

Not classified.

exposure

**Aspiration hazard** Prolonged inhalation may be harmful. **Chronic effects** Prolonged inhalation may be harmful.

### 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species Test Results		
CLEAN ACTION® II				
Aquatic				
Crustacea	EC50	Daphnia	2212.5488 mg/l, 48 hours estimated	
Fish	LC50	Fish	3233.1633 mg/l, 96 hours estimated	
Components		Species	Species Test Results	
Alcohols (C12-15 In, S	aturated) Ethoxylat	te (CAS 68131-39-5)		
Aquatic				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.37 - 0.43 mg/l, 48 hours	
Fish	LC50	Channel catfish (Ictalurus punctatus)	1.04 - 1.39 mg/l, 96 hours	
Sodium lauryl sulfate (	CAS 151-21-3)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia obtusa)	9.2 - 10.4 mg/l, 48 hours	
Fish	LC50	Carp, hawk fish (Cirrhinus mrigala)	1.36 mg/l, 96 hours	
Tetrasodium ethylened	diamine tetraacetat	e (CAS 64-02-8)		
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Propylene Glycol Propyl Ether 0.621 Sodium lauryl sulfate 1.6

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

discharge into drains, water courses or onto the ground. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable

law.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements. Dispose of in

accordance with local regulations.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

### 14. Transport information

DOT

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

## 15. Regulatory information

**US federal regulations** 

the IBC Code

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

HIL00807 Version #: 02 Revision date: 04-14-2016 Issue date: 09-10-2015

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

**US state regulations** 

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Octamethylcyclotetrasiloxane (CAS 556-67-2)

**US. Massachusetts RTK - Substance List** 

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories** 

Country(s) or region Inventory name

On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

· · · · ·

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 09-10-2015

 Revision date
 04-14-2016

Version # 02

HMIS® ratings Health: 2

Flammability: 2 Physical hazard: 0

Material name: CLEAN ACTION® II
HIL00807 Version #: 02 Revision date: 04-14-2016 Issue date: 09-10-2015

#### **Disclaimer**

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

#### **Revision information**

Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information

GHS: Classification

HIL00807 Version #: 02 Revision date: 04-14-2016 Issue date: 09-10-2015 8 / 8

SDS US